<u>No.</u>	<u>Item</u>	<u>Page No</u> .
$\frac{No.}{1}$	No Parking Ordinances	11-1
$\sqrt{2}$	US and NC Routing Changes	11-2 - 4
<b>√</b> 3	60-50 Speed Zones	11-5
<b>J</b> 4	Restrictive Speed Zones	11-6 - 8
5	Yield Signs	11-9
6	Stop Signs	11-10 & 11

Ĺ

#### NO PARKING ORDINANCES

The following ordinances were introduced by Commissioner \_\_\_\_\_\_, seconded by Commissioner \_\_\_\_\_\_ and upon being put to a vote were duly adopted:

"BE AND IT IS HEREBY ORDAINED that it shall be unlawful to park a motor vehicle on those sections of streets or highways particularly described as follows:

Division 7

Guilford County
Along both shoulders and median of US 29-70 from its junction with I-40 in Greensboro eastward for 2.3 miles to the junction of US 70 and US 29 in Greensboro.

Division 8
Randolph County
Along both curbs of US 64-NC 49 from its western jct. with NC 22 eastward for 0.8 mi. to its jct. with NC 49 in Ramseur as provided in the Municipal Agreement for Proj. 6.800231.

Division 10
Anson County
From a point 370 ft. south of its junction with SR 1133 (Morgan St.) in Wadesboro southward along the west side of NC 109-742 to its junction with Rutherford St.

From a point 470 ft. south of its junction with SR 1133 (Morgan St.) in Wadesboro southward along the east side of NC 109-742 to its junction with Rutherford St.

Division 11
Caldwell County
From the Watauga County Line in Blowing Rock eastward along both sides of US 321 for a distance of 200 ft.

"BE IT FURTHER RESOLVED that the Division Engineers of the above listed divisions cause to be erected appropriate signs indicating this action of the Commission and that these ordinances shall be in full force and effect from and after the erection of such signs."

Enacted May 31, 1962

#### US and NC ROUTE CHANGES

The following ordinances were introduced by Commissioner, seconded by Commissioner, and upon being put to a vote were duly adopted:

WHEREAS, it is in the public interest and is needed for direction of unfamiliar drivers and the simplification of signing; and

WHEREAS, it appears that certain changes and modifications should be made in the existing designation of US and NC route numbers;

NOW, THEREFORE, BE IT HEREBY ORDAINED that certain changes be made in the US and NC route numbered system as follows:

### US Route Changes

### I - DURHAM COUNTY - US 501 and US 501 Business

RK

- A. Remove the number US 50l beginning at its jct. with SR 1445 / (Duke St.) in north Durham southward along its current routing (Roxboro Rd.) to its jct. with US 70-I 85 thence westward along US 70-I 85 to its jct. again with SR 1445.
- B. Remove the secondary road number SR 1445 from its jct. with US 501 in north Durham southward along its current routing (Duke St.) to its jct. with US 70-I 85.
- C. Assign the number US 501 along Duke St. from its jct. with US 501 in north Durham southward to its jct. with US 70-I 85.
- D. Assign the number US 501 Business along the old routing of US 501 from its jct. with US 501 in north Durham southward along Roxboro Rd. to its jct. with US 70-I 85.

#### II -WILKES COUNTY - US 421-A

- A. Remove the number US 421-A from 10th St. in North Wilkesboro from its jct. with Forester Ave. and "A" St. northward to its jct. with "D" St., thence westward along "D" St. to its jct. with Forester Ave.
- B. Assign the number US 421-A North to the above sections of 10th and "D" Sts. in North Wilkesboro.
- C. Assign the number US 421-A South to Forester Ave. in North Wilkesboro from its jct. with "D" St. southward to its jct. with 10th St.

#### III. SURRY COUNTY - US 52 Business

A. Remove the number US 52 Business from Main St. in Mt. Airy from its jct. with Hines Ave. southward to its jct. with Cherry St.

- B. Assign the number US 52 Business South to the above section of Main St. in Mt. Airy.
- C. Assign the number US 52 Business North in Mt. Airy to Cherry St. from its jct. with S. Main St. eastward to Renfro St., thence northward on Renfro St. to its jct. with Hines Ave., thence westward on Hines Ave. to its jct. with N. Main St.

#### IV. GASTON COUNTY - US 321

- A. Remove the number US 321 from Chester St. in Gastonia from its jct. with Airline Ave. (NC 7) southward to its jct. with York St.
  - B. Assign the number US 321 South to the above section of Chester St. in Gastonia.
  - C. Remove the secondary road number SR 2602 from York St. in Gastonia from its jct. with Chester St. northward to its jct. with Airline Ave. (NC 7)
  - D. Assign the number US 321 North to the above section of York St. in Gastonia and to Airline Ave. (NC 7) from its jct. with York St. westward to Chester St.

#### NC Route Changes

#### I. WILKES COUNTY - NC 18, NC 115, NC 268

- A. Remove the numbers NC 18 and NC 268 in North Wilkesboro from "B" St. from its jct. with 6th St. westward to its jct. with 10th St. thence southward on 10th St. to its jct. with Forester Ave. and "A" St.
  - B. Assign the numbers NC 18 North and NC 268 East to 10th St. from its jct. with Forester Ave. and "A" St. in North Wilkesboro northward to its jct. with "D" St.
  - C. Assign the numbers NC 18 and NC 268 to "D" St. in North Wilkesboro from its jct. with 10th St. eastward to its jct. with 6th St. thence southward on 6th St. to its jct. with "B" St.
  - D. Assign the numbers NC 18 South, NC 268 West, and NC 115 to "D" St. in North Wilkesboro from its jct. with 10th St. westward to its jct. with Forester Ave.

E. Assign the numbers NC 18 South and NC 268 West to Forester Ave. in North Wilkesboro from its jct. with "D" St. southward to its jct. with 10th St.

### II. SURRY COUNTY - NC 89

- A. Remove the number NC 89 from S. Main St. in Mt. Airy from its jct. with Pine St. southward to its jct. with Cherry St.
- B. Assign the number NC 89 South to the above section of S. Main St. in Mt. Airy.
- C. Assign the number NC 89 North in Mt. Airy to Cherry St. from its jct. with S. Main St. eastward to its jct. with Renfro St., thence northward on Renfro St. to its jct. with Pine St., thence westward along Pine St. to its jct. with Main St.

Page 11-5
Enacted May 31, 1962

60-50 Speed Zones

# The Following Addition is Enacted

County	Loc.No.	Route	Description	Length (Miles)	Limit MPH
Harnett	206	US 421	From its jct. with SR 1273 east of Seminole eastward along US 421 to a point 0.2 mi. west of its jct. with SR 1291 in Lillington	11.6	69-50

Speed Zones
The Following Additions are Enacted

County	Loc.No.	Route	Description	Length (Miles)	Limit <u>MPH</u>
Durham	44	SR 1800	From a point 0.45 mile east of its jct. with 0 and C Jct. east of Durham eastward along SR 1800 (Fish Dam Rd.) to its jct. with SR 1637.	2.15	145
()Franklin	15	SR 1229	From a point 0.25 mi. south of its jct. with SR 1230 in Louisburg northward along SR 1229, Main St., to its jct. with SR 1211	0.5	35
			From its jct. with SR 1211 in Louisburg northward along SR 1229, Main St., to its jct. with Franklin St.	0.4	20
J			From its jot. with Franklin St. in Louisburg northward along SR 1229, Main St., to its jot. with US 401-NC 39	1.3	35
Franklin	16	SR 1230	From its jct. with SR 1229 in Louisburg southeastward along SR 1230, Bunn Rd., to its jct. with US 401-NC 56-39	0.4	35
Franklin	17	SR 1231	From its jct. with US 401- NC 56-39 in Louisburg west- ward along SR 1231, Nash Dr., to its jct. with Cedar St. From its jct. with Cedar St.	0.2	35
J	·		<pre>in Louisburg westward along SR 1231, Nash Dr., to its jct. with SR 1229</pre>		L
Cumberland	40	SR 1429	From the intersection with NC 87 northwestward along SR 1429 for 0.95 mi.	0.95	35
Chatham	19	SR 1006	From its jct. with W. Ivey St. in Siler City southward along SR 1006 (Raleigh St.) to its jct. with SR 1119	0.8	45
VMoore	43	SR 2053	From its jct. with US 1 south of Southern Pines east- ward along SR 2053 (Saunders Blvd.) for 0.2 mi.	0.2	35
(Davie	16	US 601	From a point 0.15 mi. N. of its jct. with NC 801 (Davie X-Rds.) northward along	0.75	45
			US 601 to its jct. with SR 1134 (Gladstone Rd.)		V

# Speed Zones

v	County	Loc.No.	Route	Description	Length (Miles)	Limit MPH
· -	Rowan /		NC 153	From its jct. with US 29-A in Landis northwestward along NC 153 for 0.3 mi.	0.3	L25
<b>y</b>	Jnion /		SR 1751	From its jct. with US 74 in Monroe northeastward along SR 1751 for a distance of 0.9 mi.	0.9	J45
<b>V</b>	Gaston		SR 2278	From a point 0.25 mi. north of its jct. with SR 2275 south of Dallas southward along SR 2278 for a distance of 0.5 mi.	0.5	35
) 	Gaston	44	SR 2200	From its jct. with US 29-74 east of Gastonia southward along SR 2200 to its jct. with SR 2466	0.55	35
24	Gaston	45	SR 2466	From its jct. with SR 2200 east of Gastonia westward along SR 2466 to its jct. with SR 2302	0.8	35
,	Sutherford		US 221-A	From a point (.1 mi. north of its jct. with SR 2159 at Sandy Mush southward along US 221-A to a point 0.1 mi. west of its jct. with SR 1979	0.8	35
.1	/ Rutherford /		SR 2210	From its jct. with US 221-A at Sandy Mush southward along SR 2210 to its southern jct. with SR 2154	0.35	35
/1 / L	Rutherford	18	US 221	From a point 0.15 mi. south of its intersection with US 64-74 in Rutherfordton southward along US 221 to its jct. with Third St.	0.8	35
	Rutherford	19	US 221	From its jct. with Third St. in Rutherfordton southward along US 221 to its jct. with US 74-A, 221-A and NC 108	0.25	_20
<i>1</i> 1	Rutherford	20	US 221	From its jct. with US 74-A, 221-A and NC 108 in Rutherfordton southward along US 221 for a distance of 0.65 mi.	0.65	/35

Page 11-8

Enacted May 31, 1962

# Speed Zones

County	Loc.No.	Route	Description	Length <u>(Miles)</u>	Limit <u>MPH</u>
Henderson	32	US 176	From its jct. with SR 1722 southeast of Hendersonville southeastward along US 176 to its jct. with SR 1779	0.6	∠ <sup>45</sup>

Delete and Rescind the Following

 $\sqrt{\phantom{a}}$  Cumberland County - Location #21

Page 11-9

Enacted May 31, 1962

## YIELD SIGN INVENTORY

County	Road Regulated	At Intersection With Thru Hiway	Intersection Type and No. of Signs	
ADD I	TION			
Mecklenburg	2849	2848	Y-1	

## STOP SIGN INVENTORY

County	Road Regulated	At Intersection With Thru Hiway	Intersection Type and No. of Signs
<u>DE LE</u>	TIONS		
<i>M</i> ecklenburg	2155 2849 2149	2065 2848 NC 73	T-1 Y-1 T-1
ADDI	<u>rions</u>		
Edgecombe "" Nash Moore "" "" Randolph "" "" "" "" "" "" "" "" "" "" "" "" ""	1002 1256 1257 1440 1401 1419 1474 1607 1623 1620 1641 1628 2244 1302 1304 1306 1551 1552 1423 1545 1661 1662 1657 1638 2102 2109 2250 2250 2250 2864 2863 2869 2864 2904	1144 US 64 US 64 1426 1281 1419, 1473 1452 1606 1621 1622 1628 1640, 1628 US 220 1303 1303 1303 1303 1404 1404 1404 1404 1404 1404 1404 1404 1412 1547 1564 1592 1638 1659 2101 2112 2182 2184 2247, 2250 2862 2862 2862 2866 2900	X-2 T-1

## STOP SIGN INVENTORY

County	Road Regulated	At Intersection With Thru Hiway	Intersection Type and No. of Signs
Mecklenburg	I-85 S.Bound Exit ramp	Derita Rd.	T-1
11	I-85 N.Bound Exit ramp	Derita Rd.	T-1
11	I-85 S.Bound Exit ramp (N.E. Quad.)	US 21	T-1
11	I-85 S.Bound Exit ramp (N.W.Quad.)	US 21	T-1
tt	I-85 N.Bound Exit ramp (S.W. Quad.)	US 21	T-1
H	I-85 N.Bound Exit ramp (S.E. Quad.)	US 21	T-1